# Compatible Development in Single-Family Neighborhoods

Community Workshop #1 September 10, 2008







#### **Community Workshop Agenda**

September 10, 2008
West Senior Center -909 Arapahoe Avenue

6:30 - 7:15 Presentation

Noré Winter and Abe Barge - Winter & Company

- Project scope

- Defining neighborhood character

- Overview of existing regulations

- Redevelopment trends

- Potential Tools

7:15 - 8:30 Workshop Activities

- Activity 1 (individual): Problem definition and potential issues

- Activity 2 (group): Defining different contexts

 Activity 3 (group): Analyzing potential new construction

8:30 Wrap-Up


#### **Initial Problem Definition**

"To address the impact on existing established neighborhoods of new construction and additions that are incompatible in scale and bulk with the character of the neighborhood"

#### **Initial Project Objectives**

- 1. Retain flexibility for people to alter their homes as needs change...
- 2. Promote variety...
- 3. Ensure that (properties) with characteristics different from one another are treated fairly and equitably...
- 4. Address unintended consequences (appeal or variance)...







From City Council Directive

#### **Background**

2000 Comp Plan Major Update


2002 Focus Groups

2004 FAR max .8 RL-1 Zone

2006 Council Subcommittee

2007 Community Survey

2008 Council sets high priority



## Council Process Subcommittee

- Membership
  - 2 City Council Members
  - 2 Planning Board Members
- Assignment
  - Monitors the process
  - Provides input on public process
  - (Does NOT filter recommendations)





#### **Resources Here This Evening**

- City Council Members
- Planning Board Members
- Landmarks Preservation
   Advisory Board Members
- Planning Staff







#### City of Boulder **Project Team** Council and Boards Process Monitoring Committee City Staff Neighborhoods Interest Groups Winter & Co. Lead Consultants Strategies Administration Report Production Code-Studio **Urban Advisors RRC** Economic Analysis Code Framework Focus Groups Survey Assist Code Strategies Workshop Assist **Compatible Development in Single-Family Neighborhoods**


#### Winter & Company


- Urban Design
- Design
   Guidelines
- Neighborhood Planning
- Character
   Management
   Strategies
- Design-based Zoning



#### **Project Scope**

- Single-family zone districts
- Single-family in multifamily zone districts
- Excludes Planned Unit Developments





#### **Project Phases**

1. Frame the Question -

Sept. - Oct. 2008

2. Develop a Strategy -

Nov. - Jan. 2009

3. Develop the Tools -

Feb. - Mar. 2009

4. Implement the Tools - April 2009 +





#### Public Outreach Objectives

- Provide balanced and objective information
- Keep the public informed and clearly define how their input will influence the outcome
- Work with affected residents to to ensure that their concerns are reflected in alternatives and final solutions
- Come up with solutions that City Council and Planning Board will consider

(From City Council directive)



Workshop Team - Galveston, Texas



Focus Group - San Antonio, Texas

#### **Upcoming Meetings and Work Sessions**

- 4 Neighborhood-area Work Sessions
  - Will build on tonight's work
  - More detailed discussion of context & tools
  - Although geographically organized, anyone may participate
- Focus Groups
- Additional Interest Group Discussions
- Study Sessions
  - Planning Board
  - Landmarks Preservation Advisory Board
  - City Council





#### **Neighborhood Area Work Sessions**

#### **West Senior Center**

- Central
  - Mon. 9/15
- North Central
  - Wed. 9/17
- North and Gunbarrel


Legend

City Limits

• Mon. 9/22

#### **East Senior Center**

- South
  - Tue. 9/23



#### **Other Ways of Communication**

#### Mailed survey

All property owners of record

#### On line

- Activity postings
- Workshop summaries
- Interim reports
- Email comments
- Online sign-up for email notifications

www.bouldercolorado.gov





#### **Objectives for this Evening**

- To refine the problem statement and provide initial direction
- To begin to identify different design contexts
- To begin to identify important design features
- To identify potential issues



Sept. - Oct., 2008

#### **Step 1: Framing the Question**

- Clarify the "Problem."
- Building on Previous Work
- Include More Analysis
  - Contexts
  - Trends
  - Issues
  - **Options**

#### **Starting Questions**

What defines neighborhood character?



- What is permitted?
- What are the trends?
- What are the options?

#### **Key Considerations**

Bulk vs. Density
Compatibility vs. Taste
Design as a Mitigator
Neighborhood Quality vs.
Individual Properties
Balancing of Public and
Private Interests
Other?

#### Related topics:


Affordability
Green building
Historic preservation
Community Sustainability





### **Defining Existing Contexts: Variables**


- Street layout
- Orientation
- Topography
- Lot size & configuration
- Lot coverage
- Building size



Tulsa, Oklahoma

#### **Street Patterns & Lot Size**

Grid?
Curvilinear?
Alley?
Sloping?
North-South
orientation?










## Distribution of Building Age Categories

#### **Building Age**




#### Legend

Year Structure Was Built (per Boulder County Certificate of Occupancy)




2000 - 2008









#### **Defining Character of the Context**









## **Effect of Existing Regulations**

|     |   | d                       | b                       | b                       | d                       | g                             | d        |
|-----|---|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------------|----------|
|     | Zone District   | RR-1                    | RR-2                    | RE                      | RL-1                    | RL-2                          | RMX      |
|     | Intensity Module  | 2                       | 2                       | 3                       | 4                       | 6                             | 7        |
|     | Form Module   | а                       | b                       | Ь                       | d                       | g                             | d        |
|     |   |                         |                         |                         |                         |                               |          |
|     | Description Overriew L  | tetached Dwelling Units | Detached Dwelling Units | Detacled Dwelling Units | Detached Dwelling Units | Det. & Att. DU/ Deplexes      | Daplexes |
|     | Maximum Density   | 1.4 du/ ac              | 1.4 du/ ac              | 2.9 du/ ac              | 6.2 du/ ac              | -                             | 7.3 du   |
| 1.0 | LOT STANDARDS   |                         |                         |                         |                         |                               |          |
| 1.1 | Min. Zone Lot   | 30,000 SF               | 30,000 SF               | 15,000 SF               | 7,000 SF                | 0                             | 6,000    |
| 1.2 | Min. Open Space per Dwelling Unit   | -                       | -                       | -                       | -                       | 6,000 SF                      | 600 S    |
|     | INTENSITY STANDARDS   |                         |                         |                         |                         |                               |          |
|     | Max. Lot Coverage for Acc. Structures (within min. rear yard setback for primary bldg.) | 500 SF                        | 500 S    |
|     | Max. Floor Area Ratio for all Structures (FAR)  | -                       | -                       | -                       | 0.80                    |                               | -        |
| 3.0 | SETBACKS (Primary Structure)  |                         |                         |                         |                         |                               |          |
| 3.1 | Front Setback <sup>1</sup>  | 25'                     | 25'                     | 25'                     | 25'                     | 20'                           | 25'      |
| 3.2 | Min. front setback for all covered and uncovered parking areas                          | 25'                     | 25'                     | 25'                     | 25'                     | 20'                           | 25'      |
|     | Rear Setback <sup>2</sup>   | 25'                     | 25'                     | 25'                     | 25'                     | 20'                           | 25'      |
|     | Side Setback: (from interior lot line)  | 15'                     | 10'                     | 10'                     | 5'                      | 1' per 2' bldg. ht. & 5' min. |          |
|     | SETBACKS (Accessory Structures)   |                         |                         |                         |                         |                               |          |
|     | Front Setback   | 55'                     | 55'                     | 55'                     | 55'                     | 55'                           | 55'      |
| 4.2 | Side setback (from interior line)   | 15'                     | 15'                     | 15'                     | 10'                     | 0' or 3'                      | 10'      |
| 4.3 | Min. Rear Setback <sup>2</sup>  | 0' or 3'                      | 0' or    |
| 4.4 | Min. separation b/w accessory bldgs. & any other building                               | 6'                      | 6'                      | 6'                      | 6'                      | 6'                            | 6'       |
|     | FENCES AND WALLS  |                         |                         |                         |                         |                               |          |
|     | Height: b/w front line of zone lot and front setback line (max.)                        | 7'                      | 7'                      | 7'                      | 7'                      | 7'                            | 7'       |
|     | Min. height of fence on top of retaining wall   | 42"                     | 42"                     | 42"                     | 42"                     | 42"                           | 42"      |
|     | Max. combined ht. of fence/ ret. wall in side yard within 3' of lot line                | 12'                     | 12'                     | 12'                     | 12'                     | 12'                           | 12'      |
| 6.0 | BULK PLANE  |                         |                         |                         |                         |                               |          |
|     | Height of Structures  | 35'                     | 35'                     | 35'                     | 35'                     | 35'                           | 35'      |
| 6.2 | Max. no. of stories for a building  | 3                       | 3                       | 3                       | 3                       | NA                            | 3        |
| 6.3 | Max. wall height for detached dwelling units at zero lot line seback                    | 12'                     | 12'                     | 12'                     | 12'                     | 12'                           | 12'      |
| 6.4 | Max. height for all accessory buildings, structures                                     | 20 '                    | 20'                     | 20'                     | 20'                     | 20'                           | 20'      |

- Setbacks
- Open Space
- Height Limit
- Solar Ordinance
- Floor Area Ratio


Existing Regulations combine to produce the "building envelope" - This is the buildable area in three dimensions


#### **Existing Condition: North-South Street** (RL-1)



#### **Permitted: North-South Street** (RL-1)









#### **Permitted: East-West Street** (RL-1)









## **Upcoming: Test the Thresholds of Compatibility**



Lot Coverage: 30%

• FAR: .45

Height at Setback: 21'

Total Height: 24'

Square Feet: 2,700

Lot Coverage: 25%

• FAR: .45

Height at Setback: 21'

Total Height: 24'

Square Feet: 2,700

Lot Coverage: 18%

• FAR: .35

Height at Setback: 26'


• Total Height: 26'

• Square Feet: 2,100

## **Upcoming Visual Survey**

- To be mailed to all property owners of record
- Will include alternative massing scenarios
- Will help "frame the question."

Survey will be mailed in October 2008



Nov. - Jan., 2008

#### Step 2: Develop a Strategy


Define the specific tools to be used Establish basic dimensional standards Illustrate potential outcome Economic considerations

Community Workshop #2

#### **Potential Prescriptive Tools**


- Site design tools
  - Lot coverage
  - Landscaping, paving
  - Parking
  - Setbacks
- Building mass/ size tools
  - FAR
  - Height
  - Bulk Planes

- Building sculpting tools
  - •Wall plane length
  - Step down at setback
  - Building module limits
  - •Wall plate height



#### Potential Tool: Impervious Surface Limit

Or, the inverse: Minimum Open Space




All gray surfaces are "impervious"

\*Adjust for semipervious

\*Provide flexibility for creative detention/on-site treatment


#### Potential Tool: Landscape Standards


Intensity of planting Location of buffers



#### Potential Tool: Bulk Plane


Building height steps up as setback increases.





## **Tools: Solar "Fence"**

Building form steps down to increase solar access.










# **Potential Tool: Floor Area Ratio (FAR)**

# Floor Area Ratio (FAR) of 1.0 Illustrated







# Floor Area Ratio (FAR)


# Calibrate FAR to be less than maximum building envelope, for variety in massing


envelope, for variety in massing

FAR: 5.0

FAR: 5.0

FAR: 5.0






All 2 story mass - Less lot coverage


Combination of 1 and 2 stories


All one story - greater lot coverage

Potential tool: Plate Height

Correlate side yard setbacks and wall plate height








Front Wall Width

### **Articulation Tools**

# Maximum wall length


One story element





Limiting the wall plane length encourages






A one-story element on the facade helps

# Limit % of Garage Front

Or integrate into facade composition





## **Strategy Report - Potential Contents**

**Refined Goals** 

**Refined Objectives** 

Discussion of Alternative Tools

**Recommended Tools** 

**Preliminary Standards** 

Illustrations of Potential Outcomes

**Economics** 

Council and Planning Board will provide direction



Feb. - March, 2008


# **Step 3: Develop the Tools**

Draft ordinance language, based on Strategy Paper Review in study sessions

### **Outline and Illustrate Recommended Standards**

### **Design Context 4: Recommended Zoning Standards**

The recommended zoning standards for Context 4 are described below. The model images illustrate new construction that is built to the limits that would be set by the recommended zoning standards for the applicable lot size category (lots between 5,000 and 7,499 square feet). The right column below includes additional notes and describes how the recommended standards would vary for other lot size categories. The new construction shown below is illustrated in context on the next page.



#### Standards for Context 4 Lots 5,000 to 7,499 SF

| Min. Permitted Lot Size:                 | 5,000 SF/5     |
|--|----------------|
| Min. Front Setback:                      | 25'2           |
| Min. Side Setback (Primary):             | 5' / 15'3      |
| Min. Rear Setback (Primary):             | 15'4           |
| Min. Side Setback (Accessory):           | 5*             |
| Min. Rear Setback (Accessory):           | 5'             |
| Max. Building Coverage:                  | 30%5           |
| Max. Floor Area Ratio (FAR):             | 0.356          |
| Max. Wall Plate Height at Min. Setb      | ack: 14'7      |
| Max. Overall Height:                     | 25'            |
| Max. Drive Width in Front Yard:          | 12'            |
| Max. Paved Area in Front Yard:           | % TBD          |
| Max. # of Curb Cuts:                     | 2 <sup>8</sup> |
| Min. Garage Dist Behind Facade:          | 5*9            |
| Some standards will vary for corner lots |                |

#### Notes/ Recommended Variations for Different Lot Sizes:

<sup>1</sup>The lot size illustrated above is 6,300 SF and 63' wide <sup>2</sup>Or within setback range of adjoining properties (whichever is more restrictive)

3Or 10' min. / 25' cumulative on lots 7,500 SF or more

<sup>4</sup>The new construction illustrated above is not built out to the mirimum rear yard setback

<sup>5</sup>Or 35% for an all one story building. The building coverage illustrated is 26%.

<sup>6</sup>Orapprox. .40 on lots less than 5,000 SF and .30 on lots 7,500 SF or more

7,300 SF or more

<sup>7</sup>Orup to the max. overall height with 10' offset


<sup>8</sup>Or 3 for lots 10,000 SF or more (not incl. curb cuts to alley)

<sup>9</sup>Required distance behind primary facade for front facing

garage doors

#### d Pulls Plans

Any new building that abuts an existing RS- district shall be subject to a bulk plane starting at 35 feet in height at the side or rear setback line, and extending upward one additional foot for every additional foot into the site from the setback line.



#### Building Coverage

The maximum area of the lot that is permitted to be covered by buildings, including both principal structures and accessory buildings. Building coverage does not include paved areas such as driveways, uncovered porches or patios, decks, swimming pools or pool cages.

#### 3. Living Area

Living area shall include all areas within the enclosing walls of a building except garages, outside utility rooms, carports, cabanas, porches, patios and unroofed or unenclosed areas.

#### 4. Building Separation

The required separation between any two buildings located on the same lot or site. Where this land development code allows a building separation of less than ten feet, additional fire code requirements may apply.

Fort Myers, Florida (Lee Einsweiler, Code Studio)

West Palm Beach, Florida

April, 2008

# **Step 4: Implementation**

Adoption Hearings Final revisions Revised models **Keys to a Successful Project** 

- Balancing:
  - Simplicity vs. flexibility
    - One size all OR complexity
  - Needs of an owner making improvements vs. adjacent owners
    - Inside looking out OR outside looking in
  - The public good vs. individual rights
    - The value of a neighborhood - OR - the value of a property





Workshop group - West Palm Beach, Florida

## **Workshop Activities**

- Activity #1: Problem Definition and Potential Issues
- Activity #2: Defining Different Contexts
- Activity #3:

   Identifying Key
   Features, Issues
   and Compatible
   Design Elements



### Compatible Development in Single-Family Neighborhoods Community Workshop #1

September 10, 2008

#### Activity #1 - Individual Worksheet

At this early stage in the Compatible Development in Single Family Neighborhoods Project, we seek to gain an understanding of your opinions about the basic direction the project should take. In this first activity, please express your opinions about the need of the project, the seases that are of greatest concern by you project the sease of the project of the project of the project that are of greatest concern by you response the law discount of the project of the project of the project of the project of the response of the project of

#### 1. Problem Definition from City Council:

n April: 2008, the Boulder City Council adopted the following Problem Definition:

"To address the impact on existing established neighborhoods of new construction and additions that are incompatible in scale and bulk with the character of the neighborhood. The impacts to be considered include without illimitation: consideration of size, open space, massing and bulk plantes, loss of space between houses, privacy, view sheds, lot coverage, blank walls, setbacks, height and the streetscape and visual cranacter."

### Question 1.1: How do you feel about the Problem Definition presented above?

I Strongly Agree\_\_\_ I Agree\_\_\_ I am Neutral \_\_\_ I Disagree\_\_\_ I Strongly Disagree\_\_

Why?\_\_\_\_

#### Question 1.2:

In general terms, if you would modify the Problem Definition, what would you say?

| patible Development in Single-Family Neighborhoods<br>nunity Workshop #1 - September 10, 2008   | A to   | Activity #3 - Team Worksheet<br>dentifying Key Features, Issues and Compatible Design Elements   |  |
|---|--|--|--|
| nt in certain ways or may influence its perceived compatibility. Current regulations define a "building envelope" that further constrains development. Both existing courset applications influence the character of development that may occur in Bouldon's single family residential areas.   | trends and also to identify some of the features of new buildings that may be compatible with existing context. Illu   | though they do often influence the compatibility of development, treas and landscaping are not included in the<br>extraction at the early stage of the propost. As this project continues, a number of additional design contents<br>to established and flusheded in softening invalidation. |  |
| 7: Identifying Features and Issues Related to Context  White A. Statement & Market and Issues Related to Context  White A. Statement & Market and Annual of Market  Market A. Statement & Market and Market and Market  Market A. Statement & Market and Market and Market  Market A. Statement & Market and Market  Market A. Statement & Market A. Market  Market A. Market | 8. Permit Publicage  Commission and American Studies and the second and the secon |  |  |

### Compatible Development in Single-Family Neighborho Community Workshop #1 September 10, 2008

### Activity #3 - Team Worksheet Instructions

Development in Boulder's single-family insidential areas is shaped by a number of factors including exists contests and numer regulations. Existing content may constain adversignment in certain ways or iminfluence its perceived compatibility. Current regulations define a "building envelope" that further constrain development. Both existing contest and current regulations influence the character of development this may occur in Boulder's single family residential area.

trends and also to identify some of the features of new buildings that may be compatible with existing contest. On the Team Worksheet, a typical fast-flocks area within one type of design contest is illustrated in a number of different views. The building models in the illustration represent two conditions: Typical existing context, and "permitted development."

Although they do often influence the compatibility of development, trees and landscaping are not included in the illustrations at this early stage of the project, As this project continues, a number of additional design

#### Part 1: Identifying Features and Issues Related to Context

#### A. Existing Conditions

ing features. That contribute to the character of Boulder's residential design content and neighborhoods include building height, open space patterns and of the perceived mass of buildings as viewed from the to meighboring properties. Discuss the existing conditions illustrations on the team worksheet. Their, the three (3) level peduates of the contest that should be considered for new development.

#### ent regulations such as setbacks, height limits and solar access requirem

bubble on two selected lots in the illustrations building envelopment that would be permitted by current illustrations by the content of the

#### Part 2. Identifying Compatible Elemen

We are some of the days of experiments that can help achieve compatibility with the established content? As we have a severe of the days of the content of

## **Activity 1**

# Compatible Development in Single-Family Neighborhoods Community Workshop #1

September 10, 2008

### Activity #1 - Individual Worksheet

At this early stage in the Compatible Development in Single Family Neighborhoods Project, we seek to gain an understanding of your opinions about the basic direction the project should take. In this first activity, please express your opinions about the need for the project, the issues that are of greatest concern to you and the potential actions that should be considered. Please answer the questions below, and leave your response in the box indicated near the entrance to the room when you leave the meeting. All responses will be tabulated. Thank you!

### 1. Problem Definition from City Council:

In April, 2008, the Boulder City Council adopted the following Problem Definition:

"To address the impact on existing established neighborhoods of new construction and additions that are incompatible in scale and bulk with the character of the neighborhood. The impacts to be considered include without limitation: consideration of size, open space, massing and bulk planes, loss of space between houses, privacy, view sheds, lot coverage, blank walls, setbacks, height and the streetscape and visual character."

| How do you feel ab   | out the Problem Definition presented above?                  |
|----------------------|--|
| I Strongly Agree     | I Agree I am Neutral I Disagree I Strongly Disagree          |
| Why?                 |  |
|                      |  |
|                      |  |
| Question 1.2:        |  |
| in general terms, ii | you would modify the Problem Definition, what would you say? |
|                      | you would modify the Problem Definition, what would you say? |
| 90.0.4 (01119, 11    | you would modify the Problem Definition, what would you say? |
| gonoral terms, ii    | you would modify the Problem Definition, what would you say? |

| In your opinion, what are the three biggest issues that should be addressed in this project?  A   | , are   | in this project?           |
|---|---|----------------------------|
| B   | A 101   | in this project:           |
| C   | Α   |                            |
| 3. Preliminary Action Ideas:  Question 3.1: While it is very early in the process, please give your suggestions about any actions that should be considered:  A                       | В   |                            |
| 3. Preliminary Action Ideas:  Question 3.1: While it is very early in the process, please give your suggestions about any actions that should be considered:  A                       | -0  |                            |
| Question 3.1:  While it is very early in the process, please give your suggestions about any actions that should be considered:  A  | C   |                            |
| While it is very early in the process, please give your suggestions about any actions that should be considered:  A   | 3. Preliminary Action Ideas:  |                            |
| B   | While it is very early in the process, please give your suggestions about                 | any actions that should be |
| 4. More Information and Suggestions:  Question 4.1: As the project proceeds, what information do you believe will be helpful in making informed decision about potential actions?  A  | A   |                            |
| 4. More Information and Suggestions:  Question 4.1: As the project proceeds, what information do you believe will be helpful in making informed decision about potential actions?  A  | В   |                            |
| 4. More Information and Suggestions:  Question 4.1:  As the project proceeds, what information do you believe will be helpful in making informed decision about potential actions?  A | ·   |                            |
| Question 4.1: As the project proceeds, what information do you believe will be helpful in making informed decision about potential actions?  A  | C   |                            |
| A   | Question 4.1: As the project proceeds, what information do you believe will be helpful in | making informed decisions  |
| B   |   |                            |
| CQuestion 4.2:  |   |                            |
| Question 4.2:   | Mic.  |                            |
| Question 4.2:   |   |                            |
|   | В   |                            |
|   | B   |                            |
|   | B C Question 4.2:   |                            |
|   | B C Question 4.2:   |                            |
|   | B C Question 4.2:   |                            |
|   | B  C  Question 4.2:   |                            |
| Question 4.3: In which part of the city do you live?  | B  C  Question 4.2:   |                            |

2. Key Issues:

### **Activity 2**

# Compatible Development in Single-Family Neighborhoods Community Workshop #1

September 10, 2008

### Activity #2 - Team Worksheet Instructions Defining Different Contexts in Single-family Areas

Boulder's single-family residential areas share many features. Some areas do, however, differ significantly from each other. Those areas with similar features may be considered as distinct design "contexts." In some contexts, streets are straight, and are arranged in a grid pattern. Residential lots in these areas may have uniform setbacks and share design features such as a consistent building scale. In other contexts, streets may be curving with differently shaped lots and buildings aligning in an arc. Sloping hillsides, views and the presence or lack of alleys may also be distinguishing features of a design context.

Existing design contexts are important to recognize because they may affect the way in which buildings are perceived as well as the potential compatibility of new development. In this activity, we seek to identify some of the basic design contexts that exist in Boulder's single-family residential areas. Some of the variables that may define a context include:

#### Framework Features

Alleys (present, or not)
Topography (relatively flat, or steep)
Street trees (common. or not)
Sidewalks (attached to curb, detached from curb, or not present)

#### Site Features

Front yards (typical depth, varied or uniform)
Back yards (typical depth, varied or uniform)
Building orientation (facing the street, or not)
Building setbacks (typical depth, varied or uniform)
Parking location (in front, set back and accessed from street, on alley)
Driveways (common, or not)

#### **Building Features**


Building neights (consistent or varied)
Building forms (similar or varied)
Building mass & scale (similar or varied)
Building features (porches, entries, dormers, materials)

### Task 1: Mapping Contexts

Working as a team, discuss how a range of physical characteristics may define a particular design context for some selected areas of the city, Identify at least three (3) different design contexts, and mark examples of them on the map.

### Task 2: Describing the Contexts

Identify at least three features that define each context that your team has marked, and describe them. Use the Post-It sheets provided at the table to record them, and place them on the map. Consider the preceding list of design variables to help you in describing the key features.



## **Activity #3**

### Compatible Development in Single-Family Neighborhoods Community Workshop #1 - September 10, 2008

Development in Boulder's single-family residential arreas is shaped by a number of factors including existing content and outwent regulations. Existing content may constrain development in Development

Activity #3 - Team Worksheet Identifying Key Features, Issues and Compatible Design Elements

### Part 1: Identifying Features and Issues Related to Context

#### A. Existing Conditions

A. Extracting Condition(s):

Estimated and Condition and C



Discuss the illustrations of existing conditions. Then, identify three (3) key features of the context that should be considered when redeveloping within a similar established context:

| 2. |  |  |
|----|--|--|







|     | #III II |
|-----|---------|
|     |         |
| = = | Too B   |
|     |         |

a. Permission Deviatoring.
(a.) Permission Deviatoring.
(b.) Experimental deviatoring deviatoring















| Discuss the illustrations of | permitted develops | nent. Then, identify | three (3) key issues | that should be addresse |
|------------------------------|--------------------|----------------------|----------------------|-------------------------|
|                              |                    |                      |                      |                         |

| 1. |  |  |  |
|----|--|--|--|
|    |  |  |  |
|    |  |  |  |
|    |  |  |  |
|    |  |  |  |
|    |  |  |  |

| 1. |  |  |
|----|--|--|

### Part 2. Identifying Compatible Elements

What are some of the design elements that can help achieve compatibility with the established context? As a team, discuss the set of photographs in the provided handout and identify design instance that would be compatible with the context illustrated above. Then, select as (II) images that have some positive features which could contribute to compatibility and paster them below with captions to equilable their selection, divide that there may be some aspects of an image that may not be considered to be appropriate - focus on those elements that could be compatible.

### **Next Steps**

- Neighborhood Area Work Sessions
  - Next two weeks
- Workshop Summary
  - End of September
- Visual Survey
  - October
- Community Workshop #2
  - Early December

Workshop Summary - West Palm Beach, Florida

